



Asymptomatic influenza transmission April 2017

Influenza transmission by infected but asymptomatic people

Influenza is caused by different strains of influenza viruses. The ability to spread influenza viruses and infect others is usually equated to how much influenza virus is shed by an infected person.¹

Exposure to influenza virus can lead to infection but not every infected person will have symptoms or feel unwell.¹⁻⁷

Studies have compared viral shedding by asymptomatic individuals, i.e. those who are infected but have no symptoms, with symptomatic individuals, i.e. those who are infected and have symptoms such as fever, sore throat, muscles aches and pains.^{2,4,5,7}

Viral shedding by asymptomatic persons occurs for around 3–4 days and by symptomatic persons for around 5 days.^{5,7} The amount of virus shed by asymptomatic persons was only slightly less than that shed by those with symptoms.^{2,5,6}

Asymptomatic persons shed influenza virus and can infect others despite a seemingly more robust immune response to infection that stops development of symptoms.⁴

References

1. Carrat F, Vergu E, Ferguson NM, Lemaître M, Cauchemez S, Leach S, et al. Time lines of infection and disease in human influenza: A review of volunteer challenge studies. *Am J Epidemiol.* 2008;167(7):775-85.
2. Lau LLH, Cowling BJ, Fang VJ, Chan K-H, Lau EHY, Lipsitch M, et al. Viral shedding and clinical illness in naturally acquired influenza virus infections. *J Infect Dis.* 2010;201(10):1509-16.
3. Suess T, Buchholz U, Dupke S, Grunow R, Matthias an der H, Heider A, et al. Shedding and transmission of novel influenza virus A/H1N1 infection in households—Germany, 2009. *Am J Epidemiol.* 2010;171(11):1157-64.
4. Huang Y, Zaas AK, Rao A, Dobigeon N, Woolf PJ, Veldman T, et al. Temporal dynamics of host molecular responses differentiate symptomatic and asymptomatic influenza A infection. *PLOS Genetics.* 2011;7(8):e1002234.
5. Loeb M, Singh PK, Fox J, Russell ML, Pabbaraju K, Zarra D, et al. Longitudinal study of influenza molecular viral shedding in Hutterite communities. *J Infect Dis.* 2012;206(7):1078-84.
6. Suess T, Remschmidt C, Schink SB, Schweiger B, Heider A, Milde J, et al. Comparison of shedding characteristics of seasonal influenza virus (sub)types and influenza A(H1N1)pdm09; Germany, 2007–2011. *PLoS ONE.* 2012;7(12):e51653.
7. Fielding JE, Kelly HA, Mercer GN, Glass K. Systematic review of influenza A(H1N1)pdm09 virus shedding: duration is affected by severity, but not age. *Influenza Other Respir Viruses.* 2014;8(2):142-50.